

INDIA'S

FINEST PREMIUM QUALITY
DECORATIVE LAMINATES

3MM PURE ACRYLIC
A-GRADE $\pm 10\%$ | 6H ANTI SCRATCH



DEXARTE®
Luxury Re-defined



ENGRAVE

CRAFT ACRYLIC

No.1

QUALITY BRAND

RECOMMENDED BY INDIA'S
LEADING ARCHITECTS &
INTERIOR DESIGNERS

DEXARTE
QUALITY

DESIGN FOR
FURNITURE

Thank you for choosing DEXARTE, where quality is everyone’s responsibility & we don’t stop improving.



Available in India
at all leading dealers
through our Network
Distribution
Channel Partners



Designed for Life

A Brand that believes strongly in getting basics right to attain inevitable success by giving prime importance to 4 essences, viz, Ethics, Principles, Trust & Commitment. Based on the strong foundation, DEXARTE, a brand evolved purely with the Passion to provide luxury yet affordable decorative sheets to the ever dynamic, growing, modern & discerning Indian consumer who always has an extra ordinary demand.

Premium quality surfaces

Our passionate efforts through huge experience in style, technology, comfort & affordability. Dexarte® designs are nature inspired created with skilful craftsmanship offering a dazzling spectrum of stunning colours, classy textures, scintillating crystal Gloss giving enormous beauty to your environment.




In-sync with environment

We believe in giving back to nature as it plays a crucial role in our well being. All our Inspiration derived by nature encourages us to source products from sustainable factories and take good care of nature with heavy recycling.

Design

Our passionate efforts through huge experience in style, technology, comfort & affordability. Dexarte® designs are nature inspired created with skilful craftsmanship offering a dazzling spectrum of stunning colours, classy textures, scintillating crystal Gloss giving enormous beauty to your environment.



High-satisfaction in service

We believe in satisfaction from the start to the end user. Our brand believes that a home is something very special & make sure this special moment of yours is enhanced with our products.





ENGRAVE
CRAFT ACRYLIC



Scan for



full view

CRAFT
ACRYLIC

2.8MM
A-GRADE
PURE ACRYLIC



EG 901

ROVANIAN MARBLE



ANTISCRATCH



3 MM
THICKNESS



DEXARTE
QUALITY



ANTI YELLOW



TERMITE &
BORER FREE



CERTIFIED



ENGRAVE
CRAFT ACRYLIC



Scan for



full view

CRAFT
ACRYLIC

3MM
A-GRADE
PURE ACRYLIC



EG 903

GLITORITE GOLD



ANTISCRATCH



3 MM
THICKNESS



DEXARTE
QUALITY



ANTI YELLOW



TERMITE &
BORER FREE



CERTIFIED



ENGRAVE
CRAFT ACRYLIC



Scan for



full view

CRAFT
ACRYLIC

3MM
A-GRADE
PURE ACRYLIC



EG 905

ARMENIAN GRINGO



ANTISCRATCH



3 MM
THICKNESS



DEXARTE
QUALITY



ANTI YELLOW



TERMITE &
BORER FREE



CERTIFIED



ENGRAVE
CRAFT ACRYLIC



Scan for



full view

CRAFT
ACRYLIC

3MM
A-GRADE
PURE ACRYLIC



EG 906

EMERALD SEASTONE



ANTISCRATCH



3 MM
THICKNESS



DEXARTE
QUALITY



ANTI YELLOW



TERMITE &
BORER FREE



CERTIFIED



ENGRAVE
CRAFT ACRYLIC



Scan for



full view

CRAFT
ACRYLIC

3MM
A-GRADE
PURE ACRYLIC



EG 902

BRAVADO OCEANICA



ANTISCRATCH



3 MM
THICKNESS



DEXARTE
QUALITY



ANTI YELLOW



TERMITE &
BORER FREE



CERTIFIED



ENGRAVE
CRAFT ACRYLIC




Scan for



full view

CRAFT
ACRYLIC

3MM
A-GRADE
PURE ACRYLIC



EG 904

VINTAGE VOLAKAS



ANTISCRATCH



3 MM
THICKNESS



DEXARTE
QUALITY



ANTI YELLOW



TERMITE &
BORER FREE



CERTIFIED



ENGRAVE
CRAFT ACRYLIC



Scan for



full view

CRAFT
ACRYLIC

3MM
A-GRADE
PURE ACRYLIC



EG 910

ZANDY DUNES



ANTISCRATCH



3 MM
THICKNESS



DEXARTE
QUALITY



ANTI YELLOW



TERMITE &
BORER FREE



CERTIFIED



ENGRAVE
CRAFT ACRYLIC



Scan for



full view

CRAFT
ACRYLIC

3MM
A-GRADE
PURE ACRYLIC



EG 908

GAELIC IVORY



ANTISCRATCH



3 MM
THICKNESS



DEXARTE
QUALITY



ANTI YELLOW



TERMITE &
BORER FREE



CERTIFIED



Scan for



full view

CRAFT
ACRYLIC

3MM
A-GRADE
PURE ACRYLIC



EG 907

BLITZ GOLD



ANTISCRATCH



3 MM
THICKNESS



DEXARTE
QUALITY



ANTI YELLOW



TERMITE &
BORER FREE



CERTIFIED



ENGRAVE
CRAFT ACRYLIC



Scan for



full view

CRAFT
ACRYLIC

3MM
A-GRADE
PURE ACRYLIC



EG 909

IMPERIA TURQUOISE



ANTISCRATCH



3 MM
THICKNESS



DEXARTE
QUALITY



ANTI YELLOW



TERMITE &
BORER FREE



CERTIFIED




DEX ARTE®
Luxury Re-defined






ENGRAVE
CRAFT ACRYLIC

*Elevate your space with
surface's grace*



EG 108


MARINA BLEU



EG 209

PEARLESCENT NATUR

CRAFT ACRYLIC | 3MM
A-GRADE
PURE ACRYLIC



EG 208

LEROY LAVENDER



IP 9804

MASERATI LILLA



ANTISCRATCH



3 MM
THICKNESS



DEXARTE
QUALITY




ANTI YELLOW



TERMITE &
BORER FREE




CERTIFIED




EG 206

PEARLISED DREAM




EG 201

MAMA PEARL



IP 9801

FERRARI PERLATO



EG 207

ROUGE NUDE



IP 9802

BRITANICO KHAKI



ANTISCRATCH



3 MM
THICKNESS



DEXARTE
QUALITY



ANTI YELLOW




TERMITE &
BORER FREE



CERTIFIED




CRAFT | 3MM
ACRYLIC | A-GRADE
PURE ACRYLIC



EG 202

CHAMFER GLEAM



IP 9803

PORSCHE ORO ROSA



ANTISCRATCH



3 MM
THICKNESS



DEXARTE
QUALITY



ANTI YELLOW



TERMITE &
BORER FREE



CERTIFIED




CRAFT | 3MM
ACRYLIC | A-GRADE
PURE ACRYLIC



EG 203

BURNT BRONZE



IP 9808

LUIOS D'ORO



ANTISCRATCH



3 MM
THICKNESS



DEXARTE
QUALITY



ANTI YELLOW




TERMITE &
BORER FREE



CERTIFIED




CRAFT | **3MM**
ACRYLIC | **A-GRADE**
PURE ACRYLIC



EG 101

VERMONT WHITE



IP 9701

AVUS BIANCO



ANTISCRATCH



3 MM
THICKNESS



DEXARTE
QUALITY



ANTI YELLOW




TERMITE &
BORER FREE



CERTIFIED




CRAFT | 3MM
ACRYLIC | A-GRADE
PURE ACRYLIC



EG 106

SAP GREEN



EG 107

PASTITO PINK



ANTISCRATCH



3 MM
THICKNESS



DEXARTE
QUALITY



ANTI YELLOW




TERMITE &
BORER FREE



CERTIFIED




CRAFT | 3MM
ACRYLIC | A-GRADE
PURE ACRYLIC



EG 204

ASPHALT SHEEN



EG 205

POLISHED CHARCOAL



ANTISCRATCH



3 MM
THICKNESS



DEXARTE
QUALITY



ANTI YELLOW




TERMITE &
BORER FREE



CERTIFIED




CRAFT | 3MM
ACRYLIC | A-GRADE
PURE ACRYLIC



EG 102

BRUN CHICAGO



EG 105

BRUT SILK



ANTISCRATCH



3 MM
THICKNESS



DEXARTE
QUALITY



ANTI YELLOW




TERMITE &
BORER FREE



CERTIFIED




CRAFT | 3MM
ACRYLIC | A-GRADE
PURE ACRYLIC



EG 103

DUSSEL ASH



EG 104

MACADAM GREY



ANTISCRATCH



3 MM
THICKNESS



DEXARTE
QUALITY




ANTI YELLOW



TERMITE &
BORER FREE



CERTIFIED




IP - 9701

AVUS BIANCO



IP - 9702

ITALIAN AVORIO




IP - 9703

SWISS LATTE



IP - 9807

ARMANI BLU



IP - 9801

FERRARI PERLATO



IP - 9803

PORSCHE ORO ROSA

CRAFT
ACRYLIC

3MM
A-GRADE
PURE ACRYLIC



IP - 9802

BRITANICO KHAKI




IP - 9808

LUIOS D'ORO



IP - 9804

MASERATI LILLA



IP - 9805

PRADA AMETISTA



IP - 9806

VERSACE GREGIO



ANTISCRATCH



3 MM
THICKNESS



DEXARTE
QUALITY



ANTI YELLOW



TERMITE &
BORER FREE



CERTIFIED

Technical Specifications

Properties	Test Method	Test Condition	Unit	Property
Tensile Strength	ASTM D638	1/8", 6mm/min	Kg/cm2	720
Tensile Elongation	ASTM D638	1/8", 6mm/min	%	5.0
Flexural Modulus	ASTM D790	1/4", 2.8mm/min	Kg/cm2	28000
Flexural Strength	ASTM D790	1/4", 2.8mm/min	Kg/cm2	1220
Hardness	ASTM D785	1/4"	M Scale	97
Izod Impact Strength	ASTM D785	1/4", 23° C	Kg-cm/cm	2.0
Specific Gravity	ASTM D792	23°	g/cm2	1.19
Water Absorption	ASTM D570	-	%	0.3
Light Transmission	ASTM D1003	1/8"	%	93
Heat Distortion Temp	ASTM D648	18.6kg, 120°C/hr unannealed	°C	100
Vicat Softening Point	ASTM D1525	1 kg, 50°C/hr	°C	113
Flammability	UL 94	-	-	1/16" HB



6H Anti-Scratch

Treated with a special lacquer coating on the surface, our 6H Anti-Scratch Acrylic Laminates can bear daily wear & tear.



Termite & Borer free

Our Laminates are specially treated to ensure they remain termite and borer free for several years.



Durability & Strength

Our Anti-Scratch Acrylic Laminates are extremely sturdy and durable. They can withstand heavy loads easily.



Light Weight

For ease of use and effortless installation, our range of laminates have been developed in a way to keep them extremely light weight.



Anti-Virus Properties

Anti-bacterial and Anti-fungal




Anti-Yellowing

RECOMMENDED ADHESIVE



GERMAN  TECHNOLOGY



6H Antiscratch
Coating

Acrylic layer

Glueline

PVC Based Film Layer

Primer Coating



APPLICATION INSTRUCTIONS

- Make sure that the surface of the substrate (plywood/mdf/hdf/particle board etc) is clean and dust free as well as oil free.
- Apply DEXABOND adhesive evenly on both the substrate and the back of the DEXARTE laminate.
- Before pressing the sheet on the substrate give some drying time for the adhesive. It ranges from 10 to 15 minutes depending upon the climatic conditions. Drier the weather lesser is the drying time.
- Once pressing is done any possible air pockets need to be removed using soft rollers and moving from the centre towards the edges. This will remove any air bubble between the laminate and the substrate.
- Apply uniform weight on the laminated board for 12-18 hours.
- The most common technical problems faced in the application of acrylic laminates are Bubble Formation and decoloring / Yellow patches on Surface. Thankfully these problems can be avoided in DEXARTE acrylic laminates by taking care of few small things as mentioned :

BUBBLES FORMATION

Causes

Wrong selections of adhesive

Moisture content on Substrate/ Atmospheric Humidity

Due to thermal Expansion bubbles can form after few weeks of installation.

Lack of Bonding /Curing time

Solution

Use only DEXABOND ADHESIVE

Use best quality Calibrated Substrate and make sure it is free of any moisture

This can be avoided by keeping 1mm expansion gaps between two big size panels.

Laminated board has to be subjected under even load for at least 12-18 hours after pressing

YELLOW PATCHES / FADING

Causes

Exposure to direct sunlight

Reaction of adhesive with chemicals on substrate surface

Use of adhesive other than olyethylene Vinyl Acetate Co-Polymer

Solution

Avoid application in areas with intense direct sunlight

Use best quality calibrated substrate with no chemicals on surface/Clean the surface thoroughly before applying adhesive

Use only DEXABOND ADHESIVE

Scan for Authentication



RECOMMENDED ADHESIVE



GERMAN  TECHNOLOGY

THE PRODUCT RANGE FROM DEXARTE AT A GLANCE

DEXIGLAS CRYSTAL
THE GLASS LAMINATE
2MM ACRYLIC

ALTRAEX
Luxe | Panel

DUROGLAZE®
Ultra Gloss viz' Lamination
ecclam
IMM PET-G SHEETS

ORNATE
STAINLESS STEEL
LUXE PROFILES

ICONICA
LUXE WALL PANEL

DEXARTE | LUXELINE

ELLE VATUS
Luxury Wall Panels

IMPARO
A GLAS APART
3MM ACRYLIC

ESSENCZAA
LACQUERED ADVENT LAMINATE


EDGE X
HIGH-PERFORMANCE EDGE BANDS

ALTURA MAXX
THE PERFECT PLANK

ALTURA
THE PERFECT PLANK

ENGRAVE
CRAFT ACRYLIC

DEXABOND
Adhesive



DEXARTE®
Luxury Re-defined



DEXARTE INDIA PVT. LTD.



like us . tweet us . watch us . view us . google us

Mobile App Search : dexarte



www.dexarte.co.in | info@dexarte.co.in

