

DEXARTE®

Luxury Re-defined

ISO 9001:2015 Certified Company



DEXIGLAS CRYSTAL

THE GLASS LAMINATE



2MM
A - GRADE
PURE ACRYLIC

INDIA'S

FINEST PREMIUM QUALITY
DECORATIVE LAMINATES

www.dexarte.com


**German
Engineering**

DEXARTE
QUALITY **DESIGN FOR
FURNITURE**



Redefining Premium Acrylic Surfaces and Wall Panelling solutions

Dexarte stands as a pinnacle of elegance and innovation, offering India's most sophisticated acrylic\ surface solutions and wall paneling. Built on a foundation of luxury and modern aesthetics, Dexarte transforms spaces into works of art, delivering unparalleled quality that resonates with the refined taste of its clientele.



Inspiration

Dexarte we draw inspiration from the finest elements of art, architecture, and nature. With a focus on both global trends and timeless beauty, our collections capture the essence of luxury while pushing the boundaries of innovation, making each creation a statement of refined elegance.



Celebrating 10 years
of high quality surfaces
with dexarte



Craftsmanship


At the heart of Dexarte lies an unwavering commitment to craftsmanship. Each surface solution and panel is meticulously crafted by experts who combine advanced technology with artisanal skill. This dedication ensures flawless execution, elevating every interior to a masterpiece of design.

Passion

Driven by a passion for excellence, Dexarte consistently strives to exceed expectations. Every project, whether residential or commercial, is approached with a deep understanding of the client's vision, resulting in relevant solutions that are not just visually striking but also enduring.

Experience

With more than 10 years of expertise in the design and materials industry, Dexarte offers more than just products—it provides an experience. Our legacy of transforming spaces speaks to the level of sophistication and personalization that clients can expect. Dexarte ensures that every interaction is a seamless journey towards creating luxurious, awe-inspiring environments.



Available nationwide through India's leading network of dealers, designers, and architects, supported by our comprehensive distribution partners.

DEXIGLAS CRYSTAL
THE GLASS LAMINATE



A Legacy of Innovation and Excellence

In 1974, Mr. Nagraj Jain introduced the world of polymers to India, setting the foundation for a visionary journey. Fast forward to 2014, when Mr. Narendra Jain's brainchild, Dexarte, was born. By 2015, we pioneered with 19• PVC designs, soon revolutionizing the industry by introducing PET G.



1974

2014

2015

2016

2018



In 2016, we expanded with PS panels, growing our offerings to 25• designs and adding two factories catering to the Western market. By 2018, Dexarte boldly launched 2mm Glass Laminates with 30• designs and the exclusive LUXELINE collection.

DEXARTE | LUXELINE



Mission Statement

At Dexarte, our mission is to create unparalleled surface solutions that inspire and elevate every space, while ensuring complete satisfaction through responsible craftsmanship and service excellence. We are committed to delivering quality that meets the highest standards for every customer, every time.

With consistency and reliability, Dexarte became a trusted name in projects, architects, and designers by 2019. Even amid challenges, in 2020, we strengthened our workforce by 25% and provided aid during COVID.

2019

2020

2021

2022

2023

2024

2025

By 2023, Dexarte introduced future-proof innovations such as Ellevatus, Engrave, and Imparo, and in 2024, we celebrate a decade of excellence. Looking ahead to 2025, Dexarte is poised to become Bharat's go-to OEM provider, with VR/AR/AI/IOT-enabled Dexarte Studio redefining the future of surface solutions.

In 2021, we returned stronger with groundbreaking collections like Essenczaa, ALTURA, ALTRAEX, and ORNATE. Our 2022 alliance with 40+ channel partners across Bharat solidified our reach.

ESSENCZAA
LACQUERED ADVENT LAMINATE
15MM ACRYLIC

ALTURA
THE PERFECT PLANK

ALTRAEX
Luxe | Panel

ORNATE
STAINLESS STEEL
LUXE PROFILES

ELLE VATUS
Luxury Wall Panels

ENGRAVE
CRAFT ACRYLIC

IMPARO
A GLASS APART
3MM ACRYLIC

10 YEARS
DEXARTE
Luxury Re-defined
Quality Assurance

DEXABOARD

Vision Statement

To become the world's most trusted and innovative brand for surface solutions and building materials, Dexarte envisions leading the global market by continuously delivering cutting-edge products with unmatched reliability and satisfaction.



CELEBRATING 10 YEARS
OF HIGH QUALITY SURFACES
WITH DEXARTE



101 BOHEMIA



GREY 105



108 LUXETURE



MOOD 110



113 LUXEINT



VELVET QUARTZ 119

DEXIGLAS CRYSTAL
THE GLASS LAMINATE



2MM
PURE ACRYLIC



DEXARTE®
Luxury Re-defined
ISO 9001:2015 Certified Company

Bohemia

DEXIGLAS CRYSTAL
THE GLASS LAMINATE



2MM
PURE ACRYLIC



VIVACE BEIGE

DC - 7005



PREZIOSO BRONZO

DC - 7029



ENORME GREY

DC - 7030



PELLE COPPER

DC - 7028

Matching Edgeband Available

EDGEEX

SGS

CERTIFIED



TERMITE & BORER FREE



ANTI YELLOWING



DEXARTE QUALITY



2 MM THICKNESS




ANTI SCRATCH



DEXIGLAS CRYSTAL
THE GLASS LAMINATE




2MM
PURE ACRYLIC




GELIC MALT

DC - 7032




ELEGANZA CREMA

DC - 7019



LOUIS FAWN

DC - 7020



RICCO ORO

DC - 7012



FRESCO OLIVA

DC - 7004



MORBIDO GRIGIO

DC - 7013


EDGEEX Matching Edgeband Available



DEXIGLAS CRYSTAL
THE GLASS LAMINATE




2MM
PURE ACRYLIC



CRISTALLO GLAS

DC - 7023




ACQUA CIELO

DC- 7017



Matching Edgeband Available

EDGEEX



PRESTIGIO JADE

DC - 7031



The grey aesthetic exudes quiet elegance, where light and shadow interplay in subtle harmony. It reveals beauty in nuance, inviting reflection in the delicate balance between certainty and doubt. Each shade of grey is a refined brushstroke in life's sophisticated canvas.



BRILLIANCE BRONCO

DC - 7024



MIDNIGHT CHEVAL

DC - 7025



STELLA GALASSIA

DC - 7011



EDGEX Matching Edgeband Available



DEXIGLAS CRYSTAL
THE GLASS LAMINATE



2MM
PURE ACRYLIC



DEXARTE®
Luxury Re-defined
ISO 9001:2015 Certified Company

RICCO KHAKHI

DC - 7021

ARISTOCRATIQUE GRAU

DC - 7022

Matching Edgeband Available
EDGE



TESORE ARGENTO

DC - 7002

GRIGIO GREY

DC - 7006


DEXIGLAS CRYSTAL
THE GLASS LAMINATE



2MM
PURE ACRYLIC




DEXARTE®
Luxury Re-defined
ISO 9001:2015 Certified Company



METELLO CHAMPAGNE

DC - 7001



NYSHA ROSA

DC - 7016



VISTOSO GLORY

DC - 7033

EDGEEX Matching Edgeband Available



DEXIGLAS CRYSTAL
THE GLASS LAMINATE



2MM
PURE ACRYLIC



LUXE VIOLA DC - 7018



RIUBINO ROYALE DC - 7015



ODRAZ ROUGE DC - 7034

Matching Edgeband Available



DEXIGLAS CRYSTAL 2MM
THE GLASS LAMINATE PURE ACRYLIC



DEX ARTE®
Luxury Re-defined
ISO 9001:2015 Certified Company

MOOD


DEXIGLAS CRYSTAL
THE GLASS LAMINATE




2MM
PURE ACRYLIC




DEXARTE®
Luxury Re-defined
ISO 9001:2015 Certified Company




LUNA WHITE DC - 7009



SABBIA WHITE DC - 7010



ARMANI BIANCA DC - 7027



PREZIOSO PERLA DC - 7007

Matching Edgeband Available


EDGEEX





VUITTON BRAUN

DC - 7026



GIOIELLILEGNA

DC - 7003



PIETRA BRONZO

DC - 7014



QUARZO NERO

DC - 7008

Matching Edgeband Available

EDGEEX

SGS

CERTIFIED



TERMITE &
BORER FREE



ANTI
YELLOWING



DEXARTE
QUALITY



2 MM
THICKNESS



6H
ANTISCRATCH



LUXELINE

EXOTIC CRAFT MATERIAL
By Dexarte

2.5MM
PURE ACRYLIC

DEXARTE | LUXELINE



Matching Edgeband Available



The luxeline assortment is crafted from exotic materials that provide an unparalleled combination of sophistication and luxury.





ANTICO XSENSA

LLF - 107



AVANTE - GARDE BEIGE

LLF - 102



ROMANO LUXURIA

LLF - 99113



IMPERIA VERSACE

LLF - 99109



CAVALLI DUSK

LLF - 99111



DEXARTE | LUXELINE 2.5MM
PURE ACRYLIC



BILLION STELLA

LLF - 101



LUREX RICHESSE

LLF - 99112



ANTICO REGALIA

LLF - 99108



GRANDECO PRESTIGIO

LLF - 99114



BELLEZA CHANEL

LLF - 99110

Luxeline
Inspiration



EDGE[®] Matching Edgeband Available



DEXARTE | LUXELINE 2.5MM
PURE ACRYLIC



BROSSE LATTE LLF - 8001



BROSSE SLATE LLF - 8002



BROSSE COPPER LLF - 8003



BROSSE CHAMPAGNE LLF - 8004

Matching Edgeband Available





DEX ARTE®

Luxury Re-defined
ISO 9001:2015 Certified Company



DEXIGLAS CRYSTAL

THE GLASS LAMINATE



DEXARTE®

Luxury Re-defined

ISO 9001:2015 Certified Company

VELVET QUARTZ

DEXIGLAS CRYSTAL
THE GLASS LAMINATE



2MM
PURE ACRYLIC



MYKONO SKY

LLF - 99115



Matching Edgeband Available
EDGE



BRISTOL CRYSTAL

LLF - 99117



DEXIGLAS CRYSTAL
THE GLASS LAMINATE



2MM
PURE ACRYLIC

DEXARTE®

Luxury Re-defined

ISO 9001:2015 Certified Company



FARRAIGE SAPHIRE

LLF - 99120



Matching Edgeband Available



RAGHAD OCEAN

LLF - 99119



DEXIGLAS CRYSTAL
THE GLASS LAMINATE



2MM
PURE ACRYLIC



SCHNÉI FLOW

LLF - 99118




Matching Edgeband Available



LAPIS LAZULI

LLF - 99116



EDGE^X

HIGH-PERFORMANCE EDGE BANDS



Seamless
Design



Resistance to
Dust & Humidity



Anti-Virus
Properties



European Primer
for High Adhesion



DEXARTE[®]
Luxury Re-defined



EX 1001



EX 1002



EX 1007



EX 1011



EX 1012



EX 1013



EX 1016



EX 1017



EX 1023



EX 1024



EX 1025



EX 0127



EX 1026



EX 0721



EX 0822



EX 0928



EX 1005



EX 1020



EX 1731



EX 2110



EX 2406



EX 2629



EX 2708



EX 2809



EX 2919



EX 3104




EX 3230



European Grade Primer

Technical Specifications

Properties	Test Method	Test Condition	Unit	Property
Tensile Strength	ASTM D638	1/8", 6mm/min	Kg/cm2	720
Tensile Elongation	ASTM D638	1/8", 6mm/min	%	5.0
Flexural Modulus	ASTM D790	1/4", 2.8mm/min	Kg/cm2	28000
Flexural Strength	ASTM D790	1/4", 2.8mm/min	Kg/cm2	1220
Hardness	ASTM D785	1/4"	M Scale	97
Izod Impact Strength	ASTM D785	1/4", 23° C	Kg-cm/cm	2.0
Specific Gravity	ASTM D792	23°	g/cm2	1.19
Water Absorption	ASTM D570	-	%	0.3
Light Transmission	ASTM D1003	1/8"	%	93
Heat Distortion Temp	ASTM D648	18.6kg, 120°C/hr unannealed	°C	100
Vicat Softening Point	ASTM D1525	1kg, 50°C/hr	°C	113
Flammability	UL 94	-	-	1/16" HB



There can be colour variation in material from different batches, it is advised to use same batch material to avoid colour variation.
Actual colour of the laminate sheet may slightly vary from the sample in this Catalogue.

DEXARTE CARES

APPLICATIONS

Kitchen Shutters | Wardrobes | Tables | Doors | shelves | Cabinets | Trolleys | Bathroom | Furniture
Wall Lining and Vertical Surfaces | Office Spaces | Wall Cladding & Partition | TV Units

GENERAL INSTRUCTIONS

- DEXARTE acrylic sheets are designed for interior, vertical application, however horizontal application can be done at low traffic areas.
- Cleaning should be done with water and water based mild cleaning agents and wiped with a soft, non-abrasive microfiber fabric.
- Avoid the use of abrasive liquid cleansers, bleaching compounds or solution.
- Do not use thinner and alcohol based solvents on the surface of the acrylic laminates for cleaning.
- Do not place hot cookware directly on the surface of the laminate.
- Although the polymer is resistant to heat upto 30°C, prolonged exposure to temperatures above 30°C may cause damage below the surface thus resulting in an unpleasant stain or patch.
- Avoid use in areas exposed to intense direct sunlight such as large unshaded windows.
- In case of big size panels, due to thermal expansion of the material bubble formation is possible. 1mm gap of is advisable to compensate the thermal expansion of the material due to rise in room temperatures.
- PE protective masking must be removed within 7-10 days after the application.

APPLICATION INSTRUCTIONS

- Make sure that the surface of the substrate (plywood/mdf/hdf/particle board etc) is clean and dust free as well as oil free.
- Apply DEXABOND adhesive evenly on both the substrate and the back of the DEXARTE laminate.
- Before pressing the sheet on the substrate give some drying time for the adhesive. It ranges from 10 to 15 minutes depending upon the climatic conditions. Drier the weather lesser is the drying time.
- Once pressing is done any possible air pockets need to be removed using soft rollers and moving from the centre towards the edges. This will remove any air bubble between the laminate and the substrate.
- Apply uniform weight on the laminated board for 12-18 hours.
- The most common technical problems faced in the application of acrylic laminates are Bubble Formation and decoloring / Yellow patches on Surface. Thankfully these problems can be avoided in DEXARTE acrylic laminates by taking care of few small things as mentioned :

BUBBLES FORMATION

Causes	Solution
Wrong selections of adhesive	Use only DEXABOND ADHESIVE
Moisture content on Substrate/ Atmospheric Humidity	Use best quality Calibrated Substrate and make sure it is free of any moisture
Due to thermal Expansion bubbles can form after few weeks of installation.	This can be avoided by keeping 1mm expansion gaps between two big size panels.
Lack of Bonding /Curing time	Laminated board has to be subjected under even load for at least 12-18 hours after pressing
YELLOW PATCHES / FADING	
Causes	Solution
Exposure to direct sunlight	Avoid application in areas with intense direct sunlight
Reaction of adhesive with chemicals on substrate surface	Use best quality calibrated substrate with no chemicals on surface/Clean the surface thoroughly before applying adhesive
Use of adhesive other than olyethylene Vinyl Acetate Co-Polymer	Use only DEXABOND ADHESIVE



6H Anti-Scratch

Treated with a special lacquer coating on the surface, our 6h Anti Scratch Acrylic Laminates can bear daily wear & tear.



Termite & Borer free

Our Laminates are specially treated to ensure they remain termite and borer free for several years.



Durability & Strenght

Our Anti Scratch Acrylic Laminates are extremely sturdy and durable. They can withstand heavy loads easily.



Light Weight

For ease of use and effortless installation, our range of laminates have been developed in a way to keep them extremely light weight.



Anti-Virus Properties

Anti-bacterial and Anti-fungal



Anti-Yellowing

Whether it is in the kitchen, bathroom or the living room
DEXIGLAS CRYSTAL is widely used in furniture designs nowadays.
DEXIGLAS CRYSTAL lends pieces of furniture an air of elegance and quality.

DEXARTE
QUALITY

DESIGN FOR
FURNITURE

THE PRODUCT RANGE FROM DEXARTE
AT A GLANCE

ESSENCZAA
LACQUERED ADVENT LAMINATE

ELLE VATUS
Luxury Wall Panels

ORNATE
STAINLESS STEEL
LUXE PROFILES

EDGE X
HIGH-PERFORMANCE EDGE BANDS

DEXARTE | LUXELINE

AL T U R A
THE PERFECT PLANK

AL T U R A M A X X
THE PERFECT PLANK


ICONICA
LUXE W I D E P A N E L

DEXABOARDS

DEXABOND

ENGRAVE
CRAFT ACRYLIC

IMPARO
A GLAS APART
3MM ACRYLIC



Sheet Size : 8'x4" | Thickness : 2mm/2.5mm



SCAN QR FOR CARE
& APPLICATION
GUIDLINE



German
Engineering

There can be colour variation in material from different batches,
it is advised to use same batch material to avoid colour variation.
actual colour of the laminate sheet may slightly vary from the sample
in this Catalogue.

DEXARTE®
Luxury Re-defined
ISO 9001:2015 Certified Company



like us . tweet us . watch us . view us . google us

Mobile App Search : dexarte
www.dexarte.com | info@dexarte.co.in

SGS

ISO
9001

ISO 9001
CERTIFIED

ISO 9001
CERTIFIED

German
Engineering

MRP: ₹ 5000

DEXARTE INDIA PVT. LTD. (DIPL)